	Application No.	Applicant(s)
Notice of Allowability	09/494,053	MANSBRIDGE, JOHN
	Examiner	Art Unit
	Sam K. Ahn	2637
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment, received on 7/23/04.</u>		
2. The allowed claim(s) is/are 24-35.		
3. \square The drawings filed on $\underline{6/27/03}$ are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date	6. ☐ Interview Summ Paper No./Mail 7. ☑ Examiner's Ame	Date

Application/Control Number: 09/494,053 Page 2

Art Unit: 2637

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 7/23/04 has been entered.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Martin Fleit, Reg. No. 16,900 on 09/03/04.

The application has been amended as follows:

- a. In claim 24, line 5, "the signals" has been changed to "the plurality of data signals".
- b. In claim 24, line 10, "in parallel," has been deleted.
- c. In claim 31, line 5, "the signals" has been changed to "the plurality of data signals".
- d. In claim 31, line 10, "in parallel," has been deleted.

Art Unit: 2637

- e. In claim 32, line 10, "in parallel," has been deleted.
- f. In claim 32, line 12, "via digital" has been changed to "via a digital".
- g. In claim 32, line 14, "a predetermined" has been changed to "the predetermined".
- 3. The following is an examiner's statement of reasons for allowance: Present application discloses a method and an apparatus unit of data filtering wherein the unit comprises photodiode array coupled in parallel to a multiplexing unit. A processing unit receiving the electrical signals from the photodiode array, compares the level of the signals to a threshold level. The processing unit further comprises a digital logic unit, coupled to the multiplexing unit via a data link, informing the multiplexing unit whether the level of the signal from the photodiode array is above the threshold, and thus allows multiplexing unit to output the signals to buffers. Prior arts do not teach the combination of all the limitations claimed in each of the independent claims comprising the processing unit, photodiode array and digital logic unit with the arrangement as shown in Fig.3.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Sam Ahn** whose telephone number is **(571) 272-3044**.

Art Unit: 2637

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Jay Patel**, can be reached at **(571) 272-2988**.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

P.O. Box 1450

Alexandria, VA 22313-1450

or faxed to:

(703) 872-9306

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington. VA., Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

Sam K. Ahn 9/3/04

YOUNG T. TSE PRIMARY EXAMINER